Last Name:	First Name:	Class of:
	IHA PHYSICAL EXAMINATION F	PACKET
Al	l exams are to be completed & submitted between Fall Athletes: Forms must be completed There are no exceptions to these school r	by August 1
Please email than the first d	ne completed forms to MStOnge@ihanj.com as soon ay of school.	as they are completed but no later
To the class of	2028 & 2029: Upload all forms to the applicant por	tal
	CHECKLIST:	
	Confidentiality Release (pg. 1): Completed by ALL stu	dents.
	Health History (pgs. 2-3): Completed by ALL students.	
	Special Needs Supplemental History (pg. 4): If applica	ble
	Annual Physical Exam (pg. 5): ALL students. Comple	ted by physician.
	Medical Eligibility Form (pg. 6): MANDATORY FOR	ATHLETES. Completed by physician.
	Medication Forms/Action Plans (pgs. 7-12): If applica	ble. *Note that without Form A (pg. 7)
	the nurse will not be able to administer over the counter	(acetaminophen/ibuprofen)
	Is student participating in athletics	this year?
	YESNO	
	DADENT/CHADDIAN CONFIDENTIALI	ITV DELEACE
	PARENT/GUARDIAN CONFIDENTIAL	II Y KELEASE
This form mu	st be completed/signed by the parent(s) or legal g	uardian(s).
-	ovide comprehensive care for my daughter, I agree to tinent health information with her teachers and appr	
	YESNO	
Parent/Guardi	an Signature	Date

Last Name:	First Name:	Class of:	

This form should be maintained by the healthcare provider completing the physical exam (medical home). It should not be shared with schools. The medical eligibility form is the only form that should be submitted to a school. The physical exam must be completed by a healthcare provider who is a licensed physician, advanced practice nurse or physician assistant who has completed the Student-Athlete Cardiac Assessment Professional Development module hosted by the New Jersey Department of Education.

■ PREPARTICIPATION PHYSICAL EVALUATION (Interim Guidance)

	ST		σ_{I}	/	-	₹ 1	91	M
н			ĸ١	7 1	-		Z I	w
		•					W 1	1

Note: Complete and sign this form (with your paren Name:				
Date of examination:	Sport(s):			
Sex assigned at birth (F, M, or intersex):	How do you identif	y your gender? (F,	M, non-binary, or anoth	ner gender):
Have you had COVID-19? (check one): □ Y □	N			
Have you been immunized for COVID-19? (check	one): □Y □N		u had: □ One shot □ □ Booster date(s)	
List past and current medical conditions.				
Have you ever had surgery? If yes, list all past surg	ical procedures			
Medicines and supplements: List all current prescri	iptions, over-the-cou	ınter medicines, a	nd supplements (herbal	and nutritional).
Do you have any allergies? If yes, please list all yo	our allergies (ie, med	dicines, pollens, fo	ood, stinging insects).	
Patient Health Questionnaire Version 4 (PHQ-4)				
Over the last 2 weeks, how often have you been be	pothered by any of t	he following prob	lems? (Circle response.)
,			Over half the days	
Feeling nervous, anxious, or on edge	0	1	2	3
Not being able to stop or control worrying	0	1	2	3
Little interest or pleasure in doing things	0	1	2	3
Feeling down, depressed, or hopeless	0	1	2	3
(A sum of ≥3 is considered positive on either	subscale [question:	s 1 and 2, or ques	stions 3 and 4] for scree	ening purposes.)

(Ехр	IERAL QUESTIONS lain "Yes" answers at the end of this form. Circle stions if you don't know the answer.)	Yes	No
1.	Do you have any concerns that you would like to discuss with your provider?		
2.	Has a provider ever denied or restricted your participation in sports for any reason?		
3.	Do you have any ongoing medical issues or recent illness?		
HEA	RT HEALTH QUESTIONS ABOUT YOU	Yes	No
4.	Have you ever passed out or nearly passed out during or after exercise?		
5.	Have you ever had discomfort, pain, tightness, or pressure in your chest during exercise?		
6.	Does your heart ever race, flutter in your chest, or skip beats (irregular beats) during exercise?		
7.	Has a doctor ever told you that you have any heart problems?		
8.	Has a doctor ever requested a test for your heart? For example, electrocardiography (ECG) or echocardiography.		

	ART HEALTH QUESTIONS ABOUT YOU ONTINUED)		Yes	No
Do you get light-headed or feel shorter of breath than your friends during exercise?				
10.	Have you ever had a seizure?			
HEA	RT HEALTH QUESTIONS ABOUT YOUR FAMILY	Unsure	Yes	No
11.	Has any family member or relative died of heart problems or had an unexpected or unexplained sudden death before age 35 years (including drowning or unexplained car crash)?			
12.	Does anyone in your family have a genetic heart problem such as hypertrophic cardiomyopathy (HCM), Marfan syndrome, arrhythmogenic right ventricular cardiomyopathy (ARVC), long QT syndrome (LQTS), short QT syndrome (SQTS), Brugada syndrome, or catecholaminergic polymorphic ventricular tachycardia (CPVT)?			
13.	Has anyone in your family had a pacemaker or an implanted defibrillator before age 35?			

Las	t Name:	Firs	t Name:		Class	s of:_		
ВО	NE AND JOINT QUESTIONS	Yes	No	MED	DICAL QUESTIONS (CONTINUED)		Yes	No
14.	Have you ever had a stress fracture or an injury to a bone, muscle, ligament, joint, or tendon that caused you to miss a practice or game?			25.	Do you worry about your weight? Are you trying to or has anyone recommended you gain or lose weight?	that		
15.	Do you have a bone, muscle, ligament, or joint injury that bothers you?			27.	Are you on a special diet or do you avoid certa types of foods or food groups?	nic		
MEI	DICAL QUESTIONS	Yes	No	28.	Have you ever had an eating disorder?			
16.	Do you cough, wheeze, or have difficulty breathing during or after exercise?				NSTRUAL QUESTIONS Have you ever had a menstrual period?	N/A	Yes	No
1 <i>7</i> .	Are you missing a kidney, an eye, a testicle, your spleen, or any other organ?				How old were you when you had your first men period?	nstrual		
18.	Do you have groin or testicle pain or a painful bulge or hernia in the groin area?				When was your most recent menstrual period? How many periods have you had in the past 12			\exists
19.	Do you have any recurring skin rashes or rashes that come and go, including herpes or methicillin-resistant <i>Staphylococcus aureus</i> (MRSA)?				months?	_		
20.	Have you had a concussion or head injury that caused confusion, a prolonged headache, or memory problems?		_ _ -					
21.	Have you ever had numbness, had tingling, had weakness in your arms or legs, or been unable to move your arms or legs after being hit or falling?		- - -					
22.	Have you ever become ill while exercising in the heat?		- I					
23.	Do you or does someone in your family have sickle cell trait or disease?							
24.	Have you ever had or do you have any problems							

I hereby state that, to the best of my knowledge, my answers to the questions on this form are complete and correct.

with your eyes or vision?

Signature of athlete:
Signature of parent or guardian:
Date:

© 2023 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

t Name:	First Name:	Class of:
	by the healthcare provider completing the physical ex Eligibility Form is the only form that should be subm	
PREPARTICIPATION PHYS	SICAL EVALUATION	
	ES FORM: SUPPLEMENT TO THE ATHLETE H	IISTORV
	Date of b	
	Date of t	
I. Type of disability:		
2. Date of disability:		
3. Classification (if available):4. Cause of disability (birth, disease, in	niury or other):	
5. List the sports you are playing:	igury, or outer).	
7.00		Yes No
6. Do you regularly use a brace, an as	ssistive device, or a prosthetic device for daily activities?	
7. Do you use any special brace or as:	sistive device for sports?	
8. Do you have any rashes, pressure s	·	
9. Do you have a hearing loss? Do you	ou use a hearing aid?	
Do you have a visual impairment? Do you use any special devices for	howel or bladder function?	
12. Do you use any special devices for		
Have you had autonomic dysreflexi	•	
14. Have you ever been diagnosed as have	ring a heat-related (hyperthermia) or cold-related (hypothermia) il	lness?
15. Do you have muscle spasticity?		
IC Daniel being for some a stronger state	and the second lied by the district of	
	cannot be controlled by medication?	
	cannot be controlled by medication?	
16. Do you have frequent seizures that cplain "Yes" answers here.	cannot be controlled by medication?	
	cannot be controlled by medication?	
xplain "Yes" answers here.	ever had any of the following conditions:	
xplain "Yes" answers here.	·	Yes No
ease indicate whether you have	·	Yes No
ease indicate whether you have Adantoaxial instability Radiographic (x-ray) evaluation for a	ever had any of the following conditions:	Yes No
plain "Yes" answers here. Pease indicate whether you have Atlantoaxial instability Radiographic (x-ray) evaluation for a Dislocated joints (more than one)	ever had any of the following conditions:	Yes No
plain "Yes" answers here. Pease indicate whether you have Atlantoaxial instability Radiographic (x-ray) evaluation for a Dislocated joints (more than one) Easy bleeding	ever had any of the following conditions:	Yes No
plain "Yes" answers here. Passe indicate whether you have Atlantoaxial instability Radiographic (x-ray) evaluation for a Dislocated joints (more than one) Easy bleeding inlarged spleen	ever had any of the following conditions:	Yes No
plain "Yes" answers here. Passe indicate whether you have that a possible to the plant of the p	ever had any of the following conditions:	Yes No
plain "Yes" answers here. Passe indicate whether you have that a possible to the plant of the p	ever had any of the following conditions:	Yes No
plain "Yes" answers here. Passe indicate whether you have that a possible to the plant of the p	ever had any of the following conditions:	Yes No
plain "Yes" answers here. Passe indicate whether you have the property of the plant of the plan	ever had any of the following conditions:	Yes No
plain "Yes" answers here. Passe indicate whether you have the property of the plant of the plan	ever had any of the following conditions:	Yes No
plain "Yes" answers here. Passe indicate whether you have the plant of the plant o	ever had any of the following conditions:	Yes No
plain "Yes" answers here. Passe indicate whether you have Atlantoaxial instability Radiographic (x-ray) evaluation for a Dislocated joints (more than one) casy bleeding inlarged spleen depatitis Disteopenia or osteoporosis Difficulty controlling bowel Difficulty controlling bladder Numbness or tingling in arms or hands Numbness or tingling in legs or feet Weakness in arms or hands Weakness in legs or feet	ever had any of the following conditions:	Yes No
plain "Yes" answers here. Passe indicate whether you have Atlantoaxial instability Radiographic (x-ray) evaluation for a Dislocated joints (more than one) asy bleeding inlarged spleen depatitis Disteopenia or osteoporosis Difficulty controlling bowel Difficulty controlling bladder Numbness or tingling in arms or hands Numbness or tingling in legs or feet Weakness in arms or hands Weakness in legs or feet Recent change in coordination	ever had any of the following conditions:	Yes No
Plain "Yes" answers here. Pase indicate whether you have Atlantoaxial instability Radiographic (x-ray) evaluation for a Dislocated joints (more than one) asy bleeding inlarged spleen depatitis Disteopenia or osteoporosis Difficulty controlling bowel Difficulty controlling bladder Numbness or tingling in arms or hands Numbness or tingling in legs or feet Weakness in arms or hands Weakness in legs or feet Recent change in coordination Recent change in ability to walk	ever had any of the following conditions:	Yes No
plain "Yes" answers here. Passe indicate whether you have Adantoaxial instability Radiographic (x-ray) evaluation for a Dislocated joints (more than one) asy bleeding inlarged spleen depatitis Disteopenia or osteoporosis Difficulty controlling bowel Difficulty controlling bladder Numbness or tingling in arms or hands Numbness or tingling in legs or feet Weakness in arms or hands Weakness in legs or feet Recent change in coordination Recent change in ability to walk ipina bifida	ever had any of the following conditions:	Yes No
ease indicate whether you have Atlantoaxial instability Radiographic (x-ray) evaluation for a Dislocated joints (more than one) Easy bleeding Enlarged spleen Hepatitis Deteopenia or osteoporosis Difficulty controlling bowel Difficulty controlling bladder Numbness or tingling in arms or hands Numbness or tingling in legs or feet Weakness in arms or hands Weakness in legs or feet Recent change in coordination Recent change in ability to walk Epina bifida Latex allergy	ever had any of the following conditions:	Yes No
ease indicate whether you have Adantoaxial instability Radiographic (x-ray) evaluation for a Dislocated joints (more than one) Easy bleeding Enlarged spleen Hepatitis Osteopenia or osteoporosis Difficulty controlling bowel Difficulty controlling bladder Numbness or tingling in arms or hands Numbness or tingling in legs or feet Weakness in arms or hands Weakness in legs or feet Recent change in coordination Recent change in ability to walk Spina bifida Latex allergy	ever had any of the following conditions:	Yes No
ease indicate whether you have Adantoaxial instability Radiographic (x-ray) evaluation for a Dislocated joints (more than one) Easy bleeding Enlarged spleen Hepatitis Disteopenia or osteoporosis Difficulty controlling bowel Difficulty controlling bladder Numbness or tingling in arms or hands Numbness or tingling in legs or feet Weakness in arms or hands Weakness in legs or feet Recent change in coordination Recent change in ability to walk Spina bifida Latex allergy Eplain "Yes" answers here.	ever had any of the following conditions:	
ease indicate whether you have Adantoaxial instability Radiographic (x-ray) evaluation for a Dislocated joints (more than one) Easy bleeding Enlarged spleen Hepatitis Osteopenia or osteoporosis Difficulty controlling bowel Difficulty controlling bladder Numbness or tingling in arms or hands Numbness or tingling in legs or feet Weakness in arms or hands Weakness in legs or feet Recent change in coordination Recent change in ability to walk Spina bifida Latex allergy Eplain "Yes" answers here.	ever had any of the following conditions: tlantoaxial instability my knowledge, my answers to the questions on this	

Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

Last Name: First N	Name: Class of:
This form should be maintained by the healthcare provider complete with schools. The medical eligibility form is the only form that should completed by a healthcare provider who is a licensed physician, advar Student - Athlete Cardiac Assessment Professional Development model.	l be submitted to a school. The physical exam must be need practice nurse or physician assistant who has completed the
■ PREPARTICIPATION PHYSICAL EVALUATION (In	nterim Guidance)
PHYSICAL EXAMINATION FORM	
Name:	Date of birth:
PHYSICIAN REMINDERS 1. Consider additional questions on more-sensitive issues. • Do you feel stressed out or under a lot of pressure? • Do you ever feel sad, hopeless, depressed, or anxious? • Do you feel safe at your home or residence? • Have you ever tried cigarettes, e-cigarettes, chewing tobacco, snu • During the past 30 days, did you use chewing tobacco, snuft, or or or possible to the past 30 days, did you use chewing tobacco, snuft, or or or possible to the possible to possible to the possible to the possible to preform the possible to the possible to possible to possible to preform the possible to	dip? ance-enhancing supplement? eight or improve your performance?
EXAMINATION	
Height: Weight:	/ 100/ 6 1 5 7 7 7 1
BP: / (/) Pulse: Vision: R 20, COVID-19 VACCINE	/ L 20/ Corrected: □ Y □ N
Administered COVID-19 vaccine at this visit: MEDICAL Appearance Marfan stigmata (kyphoscoliosis, high-arched palate, pectus excavatu myopia, mitral valve prolapse [MVP], and aortic insufficiency)	NORMAL ABNORMAL FINDINGS
Eyes, ears, nose, and throat Pupils equal Hearing	
Lymph nodes	
Heart ^a	
Murmurs (auscultation standing, auscultation supine, and ± Valsalva n .	naneuver)
Lungs Abdomen	
Skin Herpes simplex virus (HSV), lesions suggestive of methicillin-resistant Stinea corporis	Staphylococcus aureus (MRSA), or
Neurological	
MUSCULOSKELETAL	NORMAL ABNORMAL FINDINGS
Neck	
Back Shoulder and arm	
Shoulder and arm Elbow and forearm	
Wrist, hand, and fingers	
Hip and thigh	-
Knee	
Leg and ankle	
Foot and toes	
Functional	
Double-leg squat test, single-leg squat test, and box drop or step drop) test
^a Consider electrocardiography (ECG), echocardiography, referral to a car nation of those. Name of health care professional (print or type):	rdiologist for abnormal cardiac history or examination findings, or a combi-
Address:	Phone:MD_DO_NP_or PA

Last Nam	e: First Name:	Class of:
	Preparticipation Physical Evaluation Medical Eli	gibility Form
	The Medical Eligibility Form is the only form that shoul school. It should be kept on file with the student's scho	
Student Athlete	's NameDate of Birth	
Date of Exam_		
o Medic	ally eligible for all sports without restriction	
o Medic	ally eligible for all sports without restriction with recommendations for fu	arther evaluation or treatment of
o Medic	ally eligible for certain sports	
o Not m	edically eligible pending further evaluation	
o Not m	edically eligible for any sports	
Recommendati	ons:	
resolved and th	e after the athlete has been cleared for participation, the physician may rese potential consequences are completely explained to the athlete (and party spician, APN, PA	
_	ysiotali, 7tf 11, 17tf	Office stamp (optional)
	care professional (print)	
I certify I have Education.	completed the Cardiac Assessment Professional Development Module dev	veloped by the New Jersey Department of
Signature of he	althcare provider	
	Shared Health Information	
Allergies		
Medications:		
Other information	:	
Emergency Contac	ts:	

© 2019 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

Last Name:	E: First Name:		
FORM A ADM TRAINED DELEG		TAMINOPHEN OR IBU	PROFEN BY NURSE OR
A. Healthcare Profe	<u>ssional</u>		
Student's Nai	me		
Date of Birth		Grade	e
Date Medicat	tion Begins	Date Medication End	s
Name of Med	lication /Dose Frequency (Se	ee those checked below)	
Acetaminophe	en 325mg i-ii q4-6 hr 500mg i-ii q 6-8 hr	Ibuprofen Other dose (specify)	200mg i-ii q 6-8 hr
The	se medications will <u>not</u> be ad	lministered on school rela	ted events/trips.
Print Name of He	ealthcare Professional (HCP))	
Signature of HCP			Date
HCP's Address_			
HCP's Phone			
B. Parent/Guardian			
authorize the nurse or appropriate, to administ epinephrine by pre-fill daughter during school informed and understate school employees or applysician, nurse, any to Newark, local school of employees or agents age consent to the community	unlicensed assistive person (dester the above medication/proceed auto injector mechanism if I hours and at times when my and that Immaculate Heart Acagents shall incur no liability. I rained delegate, and other scholistrict, its Board of Education gainst all claims arising from the nication between the school number of the	elegate) trained by the nurse cedure, including the emerg ordered by the above name child is participating in school demy, school physician, nu hereby indemnify and hold ool employees or agents as a, and Bergen County Depart the administration of the list arse or administrators and the listed medication. I consent	healthcare professional, to my col-related events. I have been rse, any trained delegate, other harmless the school, school well as the Archdiocese of tment of Health Services and its ted medication or procedure. I he prescribing healthcare to this information being shared
**I hereby consent to school physician by the		ophen or ibuprofen as orde	red by a healthcare professional or
**If no healthcare proving medications listed above	vider signature above I consen ve.	at to the use of the school ph	nysician's order for the
Signature of Parent/G	Guardian		Date

Last Name:	First Name:	Class of:
	AUTHORIZATION FOR ADMINISTRATION FOR FOR FOR ADMINISTRATION FOR	ON OF MEDICATION BY NURSE or
A. Completed b	y <u>Healthcare Professional</u>	
Studen	t's Name	
Date of	f Birth	Grade
Diagno	osis	
Date M	Iedication Begins Date Medication	n Ends
Name o	of Medication	
Dose (s	specific) Frequency (specific)	Route (specific)
Side E	ffects	
Signati	ure of HCP	Date
Name o	of Healthcare Professional (PRINT)	
HCP's	Address	Phone
authorize the nur appropriate, to a epinephrine by p daughter during informed and un employees or ag nurse, any traine school district, it agents against al communication the safe administ	dian Inderstand Immaculate Heart Academy's policy for the rese or unlicensed assistive person (delegate) trained by the above medication/procedure, including pre-filled auto injector mechanism if ordered by the abschool hours and at times when my child is participated derstand that Immaculate Heart Academy, school phyents shall incur no liability. I hereby indemnify and had delegate, and other school employees or agents as as as Board of Education, and Bergen County Department claims arising from the administration of the listed between the school nurse or administrators and the protration of the listed medication. I consent to this information of the school-sponsored activities.	by the nurse and/or school physician when the emergency administration of bove name healthcare professional, to my ting in school-related events. I have been ysician, nurse, any trained or other school hold harmless the school, school physician, well as the Archdiocese of Newark, local nt of Health Services and its employees or medication or procedure. I consent to the rescribing healthcare professional to ensure

VALID FOR ONE (1) SCHOOL YEAR

Signature of Parent/Guardian_______Date ______

Last Name:	First Name:	Class of:

Asthma Treatment Plan – Student









O Dust Mites, dust, stuffed animals, carpet Pollen - trees, grass, weeds o Mold o Pets - animal dander O Pests - rodents, cockroaches

o Cigarette smoke & second hand smoke

o Perfumes, cleaning products,

scented products

O Smoke from

o Sudden

change o Extreme weather - hot and cold

burning wood.

temperature

Ozone alert days

inside or outside

(This asthma action plan meets NJ Law N.J.S.A. 18A:40-12.8) (Physician's Orders)

(Please Print)

Name	Date of Birth		Effective Date	
Doctor Parent/Guardian (if app		licable) Emergency Cor		ency Contact
Phone	Phone		Phone	

Doctor		Parent/Guardian (if applicable)	Emergency Contact	
Phone		Phone	Phone	
HEALTHY (Green Zone)		e daily control medicing re effective with a "space	e(s). Some inhalers may be cer" – use if directed.	Triggers Check all items
You have <u>all</u> of t • Breathing is good	MEDIC		MUCH to take and HOW OFTEN to take it	that trigger patient's asthma:
• No cough or whee	II I Auva	ir® HFA □ 45, □ 115, □ 230 span™	2 puffs twice a day 1,	□ Colds/flu

No cough or wheeze Sleep through the night Can work, exercise, and play And/or Peak flow above	Advair® HFA 45, 115, 230 2 puffs twice a day Aerospan™ 1, 2 puffs twice a day 1, 2 puffs twice a day Dulera® 100, 200 2 puffs twice a day Dulera® 100, 200 2 puffs twice a day Dulera® 44, 110, 220 2 puffs twice a day Qvar® 40, 80 1, 2 puffs twice a day Symbicort® 80, 160 1, 2 puffs twice a day Advair Diskus® 100, 250, 500 1 inhalation twice a day Asmanex® Twisthaler® 110, 220 1, 2 inhalations once or twice a day Flovent® Diskus® 50 100 250 1 inhalation twice a day Pulmicort Flexhaler® 90, 180 1, 2 inhalations once or twice a day Pulmicort Respules® (Budesonide) 0.25, 0.5, 1.0 1 unit nebulized once or twice a day Singulair® (Montelukast) 4, 5, 10 mg 1 tablet daily 1 tablet daily	Pets - animal		
Remember to rinse your mouth after taking inhaled medicine				

If exercise triggers your asthma, take minutes before exercise.

(Yellow Zone) | | | |



You have any of these:

- Cough
- Mild wheeze · Tight chest
- Coughing at night
- Other:

If quick-relief medicine does not help within 15-20 minutes or has been used more than 2 times and symptoms persist, call your doctor or go to the emergency room.

And/or Peak flow from_

Continue daily control medicine(s) and ADD quick-relief medicine(s).

MEDICINE HOW MUCH to take and HOW OFTEN to take it	O Smoke
☐ Albuterol MDI (Pro-air® or Proventil® or Ventolin®) _2 puffs every 4 hours as needed	burnin inside
☐ Xopenex®2 puffs every 4 hours as needed	□ Weather
☐ Albuterol ☐ 1.25, ☐ 2.5 mg1 unit nebulized every 4 hours as needed	○ Sudde
☐ Duoneb®1 unit nebulized every 4 hours as needed	tempe
\square Xopenex $^{\otimes}$ (Levalbuterol) \square 0.31, \square 0.63, \square 1.25 mg $_$ 1 unit nebulized every 4 hours as needed	change o Extrem
☐ Combivent Respimat®1 inhalation 4 times a day	- hot a
☐ Increase the dose of, or add:	o Ozone
□ Other	☐ Foods:
 If quick-relief medicine is needed more than 2 times a 	0
week avanthatan avania than call your deatan	

week, except before exercise, then call your doctor.

EMERGENCY (Red Zone) ||||



Peak flow

below

Your asthma is getting worse fast:

- Quick-relief medicine did
- not help within 15-20 minutes
- · Breathing is hard or fast
- Nose opens wide Ribs show
- Trouble walking and talking
- · Lips blue · Fingernails blue

	Lips bluc	- 1	myci	1110
•	Other:			

Take	these	medicines	NOW a	and	CALL	911
Asthma	a can be	a life-threateni	ing illnes	ss. Do	o not wa	nit!

Take these medicines NO Asthma can be a life-threatening		□ Other:
MEDICINE HOW MUCH	I to take and HOW OFTEN to take it	0
☐ Albuterol MDI (Pro-air® or Proventil® or Ventolin®)	4 puffs every 20 minutes	
☐ Xopenex®	4 puffs every 20 minutes	This asthma treatment
☐ Albuterol ☐ 1.25, ☐ 2.5 mg	1 unit nebulized every 20 minutes	plan is meant to assist,
☐ Duoneb®	1 unit nebulized every 20 minutes	not replace, the clinical
☐ Xopenex® (Levalbuterol) ☐ 0.31, ☐ 0.63, ☐ 1.25 mg	1 unit nebulized every 20 minutes	decision-making
☐ Combivent Respimat®	1 inhalation 4 times a day	required to meet
☐ Other		individual patient needs.

Disclaimers: The out to biologic/CUL dam's intender the and to control a grow one bits benefit or benefit or as in the last feet control using feeting of the Market (MAM-1), in Market (MAM-1), the Market (M
The Pediatric/Adult Asthma Coalition of New Jersey, openioned by the American Lung Association in New Jersey. This publication were removated from event form the Nature Deposition of New Jersey and Society Conference with Eurobi removated from the U.S. Contact

REVISED MAY 2017

Permission to	Self-administer	Medication:
This student	is canable and has b	een instructed

in the proper method of self-administering of the non-nebulized inhaled medications named above in accordance with NJ Law.

	This	student i	s not	approved	to	self-medicate
_	11113	Studbill I	3 <u>1101</u>	αρρισνου	ιU	Juli Illuuluutu

HYSICIAN/APN/PA SIGNATURE	Physician's Orders	DATE
ARENT/GIJARDIAN SIGNATURE		

PHYSICIAN STAMP

Make a copy for parent and for physician file, send original to school nurse or child care provider.

Last Name:	First Name:	Class of:

Asthma Treatment Plan – Student Parent Instructions

The **PACNJ Asthma Treatment Plan** is designed to help everyone understand the steps necessary for the individual student to achieve the goal of controlled asthma.

- 1. Parents/Guardians: Before taking this form to your Health Care Provider, complete the top left section with:
 - Child's name

· Child's date of birth

- Child's doctor's name & phone number
- An Emergency Contact person's name & phone number
- · Parent/Guardian's name
 - & phone number



- The effective date of this plan
- The medicine information for the Healthy, Caution and Emergency sections
- . Your Health Care Provider will check the box next to the medication and check how much and how often to take it
- Your Health Care Provider may check "OTHER" and:
 - * Write in asthma medications not listed on the form
 - Write in additional medications that will control your asthma
 - * Write in generic medications in place of the name brand on the form
- Together you and your Health Care Provider will decide what asthma treatment is best for your child to follow
- 3. Parents/Guardians & Health Care Providers together will discuss and then complete the following areas:
 - Child's peak flow range in the Healthy, Caution and Emergency sections on the left side of the form
 - Child's asthma triggers on the right side of the form
 - Permission to Self-administer Medication section at the bottom of the form: Discuss your child's ability to self-administer the
 inhaled medications, check the appropriate box, and then both you and your Health Care Provider must sign and date the form
- **4. Parents/Guardians:** After completing the form with your Health Care Provider:
 - · Make copies of the Asthma Treatment Plan and give the signed original to your child's school nurse or child care provider
 - Keep a copy easily available at home to help manage your child's asthma
 - Give copies of the Asthma Treatment Plan to everyone who provides care for your child, for example: babysitters, before/after school program staff, coaches, scout leaders

PARENT AUTHORIZATION I hereby give permission for my child to receive medication at school in its original prescription container properly labeled by a pharmac information between the school nurse and my child's health care understand that this information will be shared with school staff on a	ist or physician. I also provider concerning m	give permission for the release and exchange of		
Parent/Guardian Signature	Phone	Date		
FILL OUT THE SECTION BELOW ONLY IF YOUR HEALTH CARE PR SELF-ADMINISTER ASTHMA MEDICATION ON THE FRONT OF THI RECOMMENDATIONS ARE EFFECTIVE FOR ONE (1) SCHOOL YEA	IS FORM.			
In do request that my child be ALLOWED to carry the following medication for self-administration in school pursuant to N.J.A.C:.6A:16-2.3. I give permission for my child to self-administer medication, as prescribed in this Asthma Treatment Plan for the current school year as I consider him/her to be responsible and capable of transporting, storing and self-administration of the medication. Medication must be kept in its original prescription container. I understand that the school district, agents and its employees shall incur no liability as a result of any condition or injury arising from the self-administration by the student of the medication prescribed on this form. I indemnify and hold harmless the School District, its agents and employees against any claims arising out of self-administration or lack of administration of this medication by the student.				
\square I DO NOT request that my child self-administer his/her asthma r	medication.			
Parent/Guardian Signature	Phone	Date		



Discolaimers: The use of this Vehicine/RADI Johnmi relatment Plan and its content is all your own risk. The content is provided on an 'as is 'basis. The American Lung Association that Mid-Malantic (ALMA-A), the Pediatric/Ada, Anthran Calation of the Johns and the Association and International Lung Association and International Lu

Sponsored by

AMERICAN
LUNG
ASSOCIATION

The Pediatric/Adulf Asthma Coalition of New Jersey, sponsored by the American Lung Association in New Jersey. This publication was supported by a grant from the New Jersey Operatment of Health and Senior Services, with fun provided by the LLS. Certels not Disease Control and Prevention under Cooperative Agreement SUSSER/MONGHS. Is content as so solely the responsibility of the authors and do not necessarily represent the official views of the New Jersey Department of Health and Senioris Services or the U.S. Certels or Disease Control and Prevention. Although this document has been funded windly or in part by the United States Environmental Protection Agreement and Sociation in New Jersey Services or the U.S. Certels or Disease Control and Prevention. Although the Advancement has been funded with only or in part by the United States Environmental Protection Agreemy and the States and Services and Services and therefore, may not necessarily reflect the views of the Agency and no Official endocrament should be intered to Indianacy on in Intered for Galagones, health proteins or site to the place of medical advice. For arthur not appreciate control, new predict control,

st Name:		Fir	st Name:	Class	s of:
FA Food Allergy	RE FO	OD ALLER	GY & ANAP	HYLAXIS EMERGENCY	CARE PL
				D.O.B.:	PLACE PICTURE HERE
		☐ Yes (higher ris			
	•			rs) to treat a severe reaction. USE EPINEPHR	INE.
THEREFORE:	tive to the followi	ng allergens:			
☐ If checked, g		•	~	ten, for ANY symptoms. Y eaten, even if no symptoms are appare	nt.
	FOR any of 1	THE FOLLOWING:		MILD SYMPTO	MC
	SEVERE S	YMPTOMS		INITED STINIFIO	IVIS
				NOSE MOUTH SKIN	GUT
LUNG Shortness of	HEART Pale or bluish	THROAT Tight or hoarse	MOUTH Significant	Itchy or Itchy mouth A few hive runny nose, mild itch	nausea or
breath, wheezing repetitive cough	<u> </u>	throat, trouble breathing or	swelling of the tongue or lips	sneezing	discomfort
	dizziness	swallowing		FOR MILD SYMPTOMS FROM MOI System area, give epiner	
(₩)		(•)	OR A	· · · · · · · · · · · · · · · · · · ·	
SKIN	GUT	OTHER	COMBINATION of symptoms	FOR MILD SYMPTOMS FROM A SI II AREA, FOLLOW THE DIRECTION	
Many hives over body, widespread	Repetitive vomiting, severe	Feeling something bad is	from different body areas.	1. Antihistamines may be given, if orc	
redness	diarrhea	about to happen,	,	healthcare provider. 2. Stay with the person; alert emerger	ncv contacts.
	Û 1	anxiety, confusion		3. Watch closely for changes. If symp	-
1. INJECT	EPINEPHRIN	NE IMMEDIAT	TELY.	give epinephrine.	
		patcher the person in the person in the part of the pa	-	MEDICATIONS/DO	SES
arrive.				Epinephrine Brand or Generic:	
 Consider giv » Antihist 		ications following e	oinephrine:	Epinephrine Dose: 0.1 mg IM 0.15 mg	лм. Поо
	(bronchodilator) if	wheezing		ринеригие Dose: — 0.1 mg им — 0.15 mg	, iivi

- Lay the person flat, raise legs and keep warm. If breathing is difficult or they are vomiting, let them sit up or lie on their side.
- If symptoms do not improve, or symptoms return, more doses of epinephrine can be given about 5 minutes or more after the last dose.
- Alert emergency contacts.
- Transport patient to ER, even if symptoms resolve. Patient should remain in ER for at least 4 hours because symptoms may return.

Epinephrine Brand or Generic:
Epinephrine Dose: 0.1 mg IM 0.15 mg IM 0.3 mg IM
Antihistamine Brand or Generic:
Antihistamine Dose:
Other (e.g., inhaler-bronchodilator if wheezing):

PATIENT OR PARENT/GUARDIAN AUTHORIZATION SIGNATURE

DATE

PHYSICIAN/HCP AUTHORIZATION SIGNATURE

DATE


Last Name. Class of.	Last Name:	First Name:	Class of:
----------------------	------------	-------------	-----------



FOOD ALLERGY & ANAPHYLAXIS EMERGENCY CARE PLAN


HOW TO USE AUVI-Q® (EPINEPHRINE INJECTION, USP), KALEO

- 1. Remove Auvi-Q from the outer case. Pull off red safety guard.
- 2. Place black end of Auvi-Q against the middle of the outer thigh.
- 3. Press firmly until you hear a click and hiss sound, and hold in place for 2 seconds.
- 4. Call 911 and get emergency medical help right away.



HOW TO USE EPIPEN®, EPIPEN JR® (EPINEPHRINE) AUTO-INJECTOR AND EPINEPHRINE INJECTION (AUTHORIZED GENERIC OF EPIPEN®), USP AUTO-INJECTOR, MYLAN AUTO-INJECTOR, MYLAN

- 1. Remove the EpiPen® or EpiPen Jr® Auto-Injector from the clear carrier tube.
- Grasp the auto-injector in your fist with the orange tip (needle end) pointing downward. With your other hand, remove the blue safety release by pulling straight up.
- Swing and push the auto-injector firmly into the middle of the outer thigh until it 'clicks'. Hold firmly in place for 3 seconds (count slowly 1, 2, 3).
- 4. Remove and massage the injection area for 10 seconds. Call 911 and get emergency medical help right away.



HOW TO USE IMPAX EPINEPHRINE INJECTION (AUTHORIZED GENERIC OF ADRENACLICK®), USP AUTO-INJECTOR, AMNEAL PHARMACEUTICALS

- 1. Remove epinephrine auto-injector from its protective carrying case.
- 2. Pull off both blue end caps: you will now see a red tip. Grasp the auto-injector in your fist with the red tip pointing downward.
- 3. Put the red tip against the middle of the outer thigh at a 90-degree angle, perpendicular to the thigh. Press down hard and hold firmly against the thigh for approximately 10 seconds.
- 4. Remove and massage the area for 10 seconds. Call 911 and get emergency medical help right away.

HOW TO USE TEVA'S GENERIC EPIPEN® (EPINEPHRINE INJECTION, USP) AUTO-INJECTOR, TEVA PHARMACEUTICAL INDUSTRIES

- 1. Quickly twist the yellow or green cap off of the auto-injector in the direction of the "twist arrow" to remove it.
- Grasp the auto-injector in your fist with the orange tip (needle end) pointing downward. With your other hand, pull off the blue safety release.
- 3. Place the orange tip against the middle of the outer thigh at a right angle to the thigh.
- 4. Swing and push the auto-injector firmly into the middle of the outer thigh until it 'clicks'. Hold firmly in place for 3 seconds (count slowly 1, 2, 3).
- 5. Remove and massage the injection area for 10 seconds. Call 911 and get emergency medical help right away.

5

HOW TO USE SYMJEPI™ (EPINEPHRINE INJECTION, USP)

- 1. When ready to inject, pull off cap to expose needle. Do not put finger on top of the device.
- 2. Hold SYMJEPI by finger grips only and slowly insert the needle into the thigh. SYMJEPI can be injected through clothing if necessary.
- 3. After needle is in thigh, push the plunger all the way down until it clicks and hold for 2 seconds.
- 4. Remove the syringe and massage the injection area for 10 seconds. Call 911 and get emergency medical help right away. $^{\parallel}$
- 5. Once the injection has been administered, using one hand with fingers behind the needle slide safety guard over needle.

ADMINISTRATION AND SAFETY INFORMATION FOR ALL AUTO-INJECTORS:

- 1. Do not put your thumb, fingers or hand over the tip of the auto-injector or inject into any body part other than mid-outer thigh. In case of accidental injection, go immediately to the nearest emergency room.
- 2. If administering to a young child, hold their leg firmly in place before and during injection to prevent injuries.
- 3. Epinephrine can be injected through clothing if needed.
- 4. Call 911 immediately after injection.

OTHER DIRECTIONS/INFORMATION (may self-carry epinephrine, may self-administer epinephrine, etc.):

Treat the person before calling emergency contacts. The first signs of a reaction can be mild, but symptoms can worsen quickly.

EMERGENCY CONTACTS — CALL 911		OTHER EMERGENCY CONTACTS		
RESCUE SQUAD:		NAME/RELATIONSHIP:	PHONE:	
DOCTOR:	PHONE:	NAME/RELATIONSHIP:	PHONE:	
PARENT/GUARDIAN:	PHONE:	NAME/RELATIONSHIP:	PHONE:	